

CleverDRY



A real crowd pleaser! The CleverDRY will allow you to adjust the volume, airspeed and temperature to fully suit you or your clients' exact specifications. Its never too loud, too fast or too cold. You can make sure it's just right! Once you are happy with all settings, pop on the steel cover and no one can change them.

Performance

| | |
|------------------------------|-------------------------------------|
| Drying time (high speed) | 10 – 12 seconds |
| Drying time (low speed) | 15 – 20 seconds |
| Motor speed (high setting) | 22,000 rpm |
| Motor speed (low setting) | 17,000 rpm |
| Air speed (high setting) | 120 meters per second |
| Air speed (low setting) | 95 meters per second |
| Adjustable heat setting (on) | Auto adjusts for optimal efficiency |
| Heat turned to off | Ambient air only |
| Motor type | Carbon brush |

Electrical

| | |
|-------------------------|-------------|
| Voltage | 220 – 240 v |
| Frequency | 50/60Hz |
| Ingress protection | IP23 |
| Motor power | 600w |
| Heating element | 1200w |
| Isolation class | Class 1 |
| Rated power (heat on) | 1.8kw |
| Rated power (heat off) | 600w |
| Auto cut off protection | 60 Seconds |

Dimensions

| | |
|--------|-------|
| Height | 320mm |
| Depth | 165mm |
| Width | 295mm |

Adjust the volume & speed of the dryer by turning this control

It's what's inside that sets the CleverDRY apart from other dryers. Once the unit is secured to the wall you can adjust the dryer to suit the needs and requirements of the user and the surroundings. Once done, pop the shell on and you're done!

Adjust the dryers temperature with this control.

